

# Notice of Allowability

Application No.

09/825,909

Examiner

Frances P. Oropeza

Applicant(s)

THOMPSON ET AL.

Art Unit

3762

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 7/8/04 (Amendment) and 9/10/04 (RCE).
2. ☒ The allowed claim(s) is/are 2-5 and 15-18.
3. ☒ The drawings filed on 04 April 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date 5.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 11/12/04 JPB
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

GEORGE A. EVANISKO  
PRIMARY EXAMINER

11/19/04

**ALLOWANCE**

**EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview between Paul H. Mc Dowall and Frances P. Oropeza on 11/19/04.

The application has been amended as follows:

In claim 2, line 2, "implantable cardioverter defibrillator" has been deleted and --cardioverter/defibrillator-- has been inserted.

In claim 2, line 3, "pump" has been deleted and --system-- has been inserted.

In claim 2, line 3, "neurological" has been deleted and --nerve-- has been inserted.

In the specification on page 4, line 20, after "device 13." the following has been inserted -- The external sensor module transmits the physiological data to the IMD over a communication channel including RF signals.--

In claim 5, lines 2-4, "one selection from the rgoup consisting of: a pressure sensor, an oxygen saturation sensor, and acceleration sensor, an impedance sensor" has been deleted and --a piezoresistive force sensor-- has been inserted.

In claim 5, lines 2-4, "one selection from the group consisting of: a pressure sensor, an oxygen saturation sensor, and acceleration sensor, an impedance sensor" has been deleted and --a piezoresistive force sensor-- has been inserted.

Claims 21-25 have been cancelled.

***Request for Continued Examination***

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. The Applicant's submission filed on 9/10/04 has been entered.

***Reasons for Allowance***

3. Claims 21-25 have been cancelled because the subject matter of the claim did not have antecedent basis in the specification.

***Conclusion***

Any inquiry concerning this or earlier communications from the Examiner should be directed to Fran Oropeza whose telephone number is (571) 272-4953. The Examiner can normally be reached on Monday – Friday from 9 a.m. to 5:30 p.m..

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Angela D. Sykes can be reached on (571) 272-4955. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communication and for After Final communications.

Frances P. Oropeza  
Patent Examiner  
Art Unit 3762

*FO*  
*11/19/04*